


FROM: JACOB JULY 12TH CITY COUNCIL JOHN SMITH PRESENTED CHART OF NOUD RIVER & WATER SUPPLY PLEASE INCLUDE AS A PUBLIC COMMENT ADMINISTRATIVE RECORD FOR THE 7/26/21 CITY COUNCIL APPEAL HEARING FOR THE CHOCERY OUTLET







Date	USGS 2020	USGS 2021	USGS 1977	USGS 2013	USGS 2014	USGS 2015
6/15	12.2	4.9	3.8	11	7.5	6.33
6/16	11.7	2.9	3.5	8.5	7.1	5.93
6/17	11.2	3.9	3.3	8.4	6.5	5.85
6/18	10.7	3.9	3.3	9.7	6.2	5.53
6/19	10.7	3.5	3.8	9.7	6.1	5.17
6/20	10.7	3.2	3.5	9.8	5.9	5.08
6/21	9.69	3.2	3.2	9.8	5.9	5.01
6/22	9.2	3.2	3.4	9.9	6	4.63
6/23	9.2	2.6	3.4	10	5.7	4.62
6/24	8.72	2.9	2.9	11	6.1	4.69
6/25	8.72	2.3	2.7	17	6.3	4.58
6/26	8.25	2	2.5	28	6.6	4.49
6/27	7.79	2.3	2.8	22	6.7	4.23
6/28	7.34	2.3	2.5	16	6.6	4.24
6/29	6.9	2.3	2.4	13	6.3	4.12
6/30	6.47	2.3	2.5	12	6	4.02
7/1	6.47	2.3	2.5	11	5.7	3.88
7/2	6.07	1.5	2.4	9.9	5.3	3.81
7/3	6.07	1.5	2.6	9.2	4.9	3.2
7/4	5.71	1.5	2.5	8.9	4.5	2.9
7/5	5.72	1.23	2.4	8.2	4.3	3.39
7/6	5.35	0.6	2.3	7.3	4	3.19
7/7	5.37	0.6	2.3	7	4	3.16
7/8	5.38	0.8	2.2	6.8	4	3.21
7/9	5.02	0.8	2.2	7	3.9	3.55
7/10	5.03	0.6	2.2	6.8	3.7	5.81
7/11	5.04	0.6	2.2	6.5	3.7	5.71
7/12	4.69	0.6	2	6.2	3.6	5.13
7/13	4.7		1.9	5.9	3.6	4.85
7/14	4.35		1.9	5.8	3.5	4.51

Lemos, June

From:	Jacob Patterson <jacob.patterson.esq@gmail.com></jacob.patterson.esq@gmail.com>
Sent:	Monday, July 19, 2021 10:05 AM
То:	Munoz, Cristal; Lemos, June
Cc:	Gurewitz, Heather; O'Neal, Chantell
Subject:	Public Comment 7/26/21 Grocery Outlet Appeal
Attachments:	2021E0043.pdf; 20210714 USGS Current Conditions for USGS 11468500 NOYO R NR
	FORT BRAGG CA.pdf; 20210718 Noyo River Flow Chart.pdf; 20210715 USGS Current
	Conditions for USGS 11468500 NOYO R NR FORT BRAGG CA.pdf; 07-13-21 Shattuck
	Correspondence.pdf; 20210713 Mendocino Voice re City Water Supply.pdf


City Clerk's Office,

Please add this to the public comments and administrative record for the appeal of the approval of the proposed Grocery Outlet. The attached files provide additional supporting evidence for the positions raised in prior public comments objecting to the water supply "analysis" in the MND. I have also attached the premature and non-compliant CEQA Notice of Determination demonstrating flawed execution and yet another example of procedural irregularities by City staff that have tainted this permit and environmental review.

Thanks,

--Jacob

The city of Fort Bragg water supply dropped dramatically this past week due to this dam at Camp Noyo. The second picture is of the water level just west of the North Fork And South Fork , Noyo river confluence. Yesterday, July 12, at 5pm Third picture is google earth view of dam. As a resident with wells around me collapsed or dry and less than 2 ft in my well, water deliveries, that Fort Bragg has said will stop are a mater of life. Thank you for discussing this urgent matter.









USGS Home Contact USGS Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category: Current Conditions ➤

Geographic Area: California

GO

Click to hideNews Bulletins

- Explore the NEW <u>USGS National Water Dashboard</u> interactive map to access realtime water data from over 13,500 stations nationwide.
- Full News 🔊

Click to hide state-specific text

* IMPORTANT: Next Generation Station Page

USGS 11468500 NOYO R NR FORT BRAGG CA

PROVISIONAL DATA SUBJECT TO REVISION

Available data for this site Time-series: Current/Historical Observations V GO

Click to hidestation-specific text

Click to enlarge




Operated in cooperation with:



- **WaterNow** get the latest gage data from your mobile phone or email.
- ▶ WaterAlert get an email or text (SMS) alert based on your chosen threshold.
- Rating Information
- Peak Chart

► Station Manuscript 🖾 This station managed by the Ukiah Field Office.




Add up to 2 more sites and replot for "Discharge, cubic feet per second"

<u>?</u> Add site numbers <u>Note</u>



Gage height, feet

Most recent instantaneous value: 2.33 07-14-2021 11:15 PDT



USGS 11468500 NOYO R NR FORT BRAGG CA

Add up to 2 more sites and replot for "Gage height, feet"

? Add site numbers <u>Note</u>

See this graph on the Monitoring Location Pages

Share this graph

Questions about sites/data? Feedback on this web site Automated retrievals Help Data Tips Explanation of terms Subscribe for system changes News

Accessibility FOIA Privacy Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey Title: USGS Current Conditions for California URL: https://nwis.waterdata.usgs.gov/ca/nwis/uv?



Page Contact Information: <u>California Water Data Support Team</u> Page Last Modified: 2021-07-14 14:56:57 EDT 3.6 2.82 nadww02



USGS Home Contact USGS Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:GCurrent Conditions ✓C

Geographic Area: California

GO

Click to hideNews Bulletins

- Explore the NEW <u>USGS National Water Dashboard</u> interactive map to access realtime water data from over 13,500 stations nationwide.
- Full News 🔊

Click to hide state-specific text

* IMPORTANT: Next Generation Station Page

USGS 11468500 NOYO R NR FORT BRAGG CA

PROVISIONAL DATA SUBJECT TO REVISION

Available data for this site Time-series: Current/Historical Observations V GO

Click to hidestation-specific text

Click to enlarge




Operated in cooperation with:



- **WaterNow** get the latest gage data from your mobile phone or email.
- **WaterAlert** get an email or text (SMS) alert based on your chosen threshold.
- Rating Information
- Peak Chart

► Station Manuscript 🖾 This station managed by the Ukiah Field Office.



Add up to 2 more sites and replot for "Discharge, cubic feet per second"

<u>?</u> Add site numbers <u>Note</u>

```
GO
```


```
Create <u>presentation-quality</u> / <u>stand-alone</u> graph. Subscribe to <u>?</u>
<u>WaterAlert</u>
```

See this graph on the Monitoring Location Pages

Share this graph

Daily discharge, cubic feet per second -- statistics for Jul 14 based on 69 water years of record<u>more</u>

Most Recent Instantaneous Value Jul 14		25th percen- tile	Median		75th percen- tile	Max (2005)	Gage height, feet Most recent instantaneous value: 2.33 07-14-2021
0.41	1.90	8.1	13	15	20	47.8	11:15 PDT



USGS 11468500 NOYO R NR FORT BRAGG CA

Add up to 2 more sites and replot for "Gage height, feet"

```
?
Add site numbers
<u>Note</u>
```

Create <u>presentation-quality</u> / <u>stand-alone</u> graph. Subscribe to <u>?</u> <u>WaterAlert</u>

See this graph on the Monitoring Location Pages

Share this graph

Questions about sites/data? Feedback on this web site Automated retrievals Help Data Tips Explanation of terms Subscribe for system changes News

AccessibilityFOIAPrivacyPolicies and NoticesU.S. Department of the Interior|U.S. Geological SurveyTitle:USGS Current Conditions for CaliforniaURL:https://nwis.waterdata.usgs.gov/ca/nwis/uv?

Page Contact Information: <u>California Water Data Support Team</u> Page Last Modified: 2021-07-14 14:58:13 EDT 2.04 1.63 nadww02





USGS Home Contact USGS Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:GCurrent Conditions ✓C

Geographic Area: California

GO

Click to hideNews Bulletins

- Explore the NEW <u>USGS National Water Dashboard</u> interactive map to access realtime water data from over 13,500 stations nationwide.
- Full News 🔊

Click to hide state-specific text

* IMPORTANT: Next Generation Station Page

USGS 11468500 NOYO R NR FORT BRAGG CA

PROVISIONAL DATA SUBJECT TO REVISION

Available data for this site Time-series: Current/Historical Observations V GO

Click to hidestation-specific text

Click to enlarge




Operated in cooperation with:



- **WaterNow** get the latest gage data from your mobile phone or email.
- **WaterAlert** get an email or text (SMS) alert based on your chosen threshold.
- Rating Information
- Peak Chart

► Station Manuscript 🖾 This station managed by the Ukiah Field Office.



Add up to 2 more sites and replot for "Discharge, cubic feet per second"

? Add site numbers <u>Note</u>

```
GO
```


```
Create <u>presentation-quality</u> / <u>stand-alone</u> graph. Subscribe to <u>?</u>
<u>WaterAlert</u>
```

See this graph on the $\underline{\mbox{Monitoring Location Pages}}$

Share this graph |

Daily discharge, cubic feet per second -- statistics for Jul 14 based on 69 water years of record<u>more</u>

Most Recent Instantaneous Value Jul 14	I I	25th percen- tile	Median		75th percen- tile	Max (2005)	Gage height, feet Most recent instantaneous value:
0.41	1.90	8.1	13	15	20	47.8	2.33 07-14-2021 11:15 PDT



USGS 11468500 NOYO R NR FORT BRAGG CA

Add up to 2 more sites and replot for "Gage height, feet"

```
?
Add site numbers
<u>Note</u>
```

Create <u>presentation-quality</u> / <u>stand-alone</u> graph. Subscribe to <u>?</u> <u>WaterAlert</u>

See this graph on the <u>Monitoring Location Pages</u>

Share this graph

Questions about sites/data? Feedback on this web site Automated retrievals Help Data Tips Explanation of terms Subscribe for system changes News


AccessibilityFOIAPrivacyPolicies and NoticesU.S. Department of the Interior|U.S. Geological SurveyTitle:USGS Current Conditions for CaliforniaURL:https://nwis.waterdata.usgs.gov/ca/nwis/uv?

Page Contact Information: <u>California Water Data Support Team</u> Page Last Modified: 2021-07-14 14:59:12 EDT 1.48 1.25 nadww02



Private seasonal dam causes major drop in Noyo River flows — Ft. Bragg enacts stage 2 water conservation restrictions — water flows drop by 80% over one week, lowest flows on record

By Frank Hartzell | 15 hours ago



A screenshot from the July 12 Fort Bragg City Council shows the dam being put up at Camp Noyo that the city says has drastically reduced Noyo River Flows. City Public Works Director John Smith is shown on the right.

FORT BRAGG, 7/13/21 - A permitted dam for recreational uses put across the Noyo River by Camp Noyo has resulted in a major drop in flows to the already water strapped municipality and is being investigated by the city of Fort Bragg, which is preparing for the worst water year on record. There is no claim that any water is being removed from the river bed.

The Noyo is one of three sources of water for the city. Camp Noyo is located 16.4 miles east of Fort Bragg at the base of the Noyo River Canyon. It is a private campground with tents, cabins, a chalet and holds special events.

"This year the Noyo River flows have hovered at levels equal to or below 1977, which is the worst drought year on record. Between July 2 and July 7, the Noyo River flows dropped from 2.27 cubic feet per second (cfs)to .41 cfs or by more than 80%, well below the 1977 levels during the same period," a city press release said.

Advertisements



(https://www.comfirstcu.org/loans/credit-cards/)

"The dramatic drop in flows is the result of a seasonal dam put in place by Camp Noyo higher along the Noyo River. City officials have reached out to the Water Quality Board Division of Water Rights, CA Fish and Wildlife, County staff and elected officials to determine if the diversion is legal and supersedes the City's 1959 3 cubic feet per second water right. If flows on the Noyo River are not partially restored, the City will be forced to conserve water for its customers and shut down its out of City sales to the surrounding county," the press release said.

Fort Bragg Public Works Director John Smith said the dam has an in-stream permit that allows it to be used in the summer months. The dam, constructed of rising rows of wooden slats, has been in seasonal use for many years. Smith said the fact flows to the dam area were lower this year made the dam more of an issue than in the past



"They have put in their boards to dam up the river, just up river from us. It's a sizeable dam. We are looking into that diversion. It doesn't sound like they have a water right up river, but we will let that play out with the regulatory folks. They do have an in in-stream bed alteration agreement. I'm still working on how those two are not matched together," Smith told the Council Monday night.

Smith also discussed a plan by which the Skunk Train could bring water by rail to Fort Bragg, a plan complicated by the fact the Willits to Fort Bragg route is blocked by a tunnel collapse. The city is having meetings on the topic.

In another matter, the Council unanimously passed a resolution ratifying a "water warning" which implements mandatory "stage 2" water conservation restrictions. The stage 2 conservation measures target a 10% to 20% reduction in seasonal water use.

The emergency declaration followed a request for voluntary stage 1 and stage 2 water conservation measures. City staff closely monitors the flows in all three of the city's water sources: Waterfall Gulch, Newman Gulch and the Noyo River. During the winter and spring, pumping of the Noyo River is used only to supplement the Waterfall Gulch and Newman Gulch sources.

The two tributary sources generally provide a higher quality of raw water and they gravity-feed to the water treatment plant, whereas water from the City's Noyo River diversion must be pumped. Stage 2 water restrictions include only watering on Tuesdays and Saturdays, no washing of streets, driveways, buildings or other hard surfaces, no free flowing hoses, no wasteful use of water, and water leaks must be repaired within 3 days of notification or discovery.

Advertisements

Made for more exploration



(https://www.adventisthealth.org/mendocino-county/orthopedics/?

hcmacid=aoi3moooooBfSZu&utm_campaign=NCR_AH_MENDO_ORTHO_F21&utm_medium=Radio&utm_content=RD_NCR_AH_MENDO_ORTHO_F21 Restaurants shall not serve water except upon request and lodging establishments shall not provide patrons with daily laundered sheets and towels, if their stay is less than 3 days. For more information on restrictions please check the City's website: <u>https://city.fortbragg.com/474/Water-Conservation_(https://city.fortbragg.com/474/Water-Conservation_(https://city.fortbragg.com/474/Water-Conservation_1)</u>

Share this:

W Twitter (https://mendovoice.com/2021/07/private-seasonal-dam-causes-major-drop-in-noyo-river-flows-ft-bragg-enacts-stage-2-water-conservation-restrictions-water-flows-drop-by-80-over-one-week-lowest-flows-on-record/?share=twitter&nb=1)

Facebook (https://mendovoice.com/2021/07/private-seasonal-dam-causes-major-drop-in-noyo-river-flows-ft-bragg-enacts-stage-2-water-conservation-restrictions-water-flows-drop-by-80-over-one-

week-lowest-flows-on-record/?share=facebook&nb=1)



USGS Home Contact USGS Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category: **Geographic Area:** Current Conditions 🗸 🛛 United States

GO

Click to hideNews Bulletins

- Explore the NEW USGS National Water Dashboard interactive map to access realtime water data from over 13,500 stations nationwide.
- Full News 🔊

* IMPORTANT: <u>Next Generation Station Page</u>

USGS 11468500 NOYO R NR FORT BRAGG CA

PROVISIONAL DATA SUBJECT TO REVISION

Available data for this site Time-series: Current/Historical Observations 🗸 🛛 GO

Click to hidestation-specific text

Click to enlarge




- This station **WaterNow** – get the latest gage data from your mobile phone or email. managed by the ► WaterAlert – get an email or text (SMS) alert based on your chosen threshold.Ukiah Field Office.
- Rating Information
- Peak Chart

► Station Manuscript 🖾

Available Parameters	Available Period
All 2 Available Parameters for this site	
00060 Discharge	1987-10-01 2021-07-15
🗹 00065 Gage height	2007-10-01 2021-07-15
Output format	
Graph	
\odot Graph w/ stats	
\odot Graph w/o stats	
\odot Graph w/ (up to 3) parms	

- O Table
- O Tab-separated



FH-

Jul

10

2021

🛆 Median daily statistic (69 years) — Discharge

Jun

26

2021

Jul

03

2021

- Provisional Data Subject to Revision ----

Add up to 2 more sites and replot for "Discharge, cubic feet per second"

Jun

19

2021

?

Add site numbers Note

```
Enter up to 2 site
numbers separated by
a comma. A site
number consists of 8
to 15 digits
```

GO

Create presentation-quality / stand-alone graph. Subscribe to ? **WaterAlert**

See this graph on the Monitoring Location Pages

0.10

Share this graph

Daily discharge, cubic feet per second -- statistics for Jul 15 based on 69 water years of record more

Most Recent Instantaneous Value Jul 15	I I	25th percen- tile	Median	I I	75th percen- tile	(2005)	Gage height, feet Most recent
0.25	2.00	7.8	12	14	19	45.8	instantaneous value:

08:15 PDT



Add up to 2 more sites and replot for "Gage height, feet"

? Add site numbers <u>Note</u>

Enter up to 2 site numbers separated by a comma. A site number consists of 8 to 15 digits

GO

Create <u>presentation-quality</u> / <u>stand-alone</u> graph. Subscribe to <u>?</u> <u>WaterAlert</u>

See this graph on the Monitoring Location Pages

Share this graph

<u>Questions about sites/data?</u> <u>Feedback on this web site</u> <u>Automated retrievals</u> <u>Help</u> <u>Data Tips</u> <u>Explanation of terms</u> <u>Subscribe for system changes</u> <u>News</u>

Accessibility FOIA Privacy Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey Title: USGS Current Conditions for the Nation URL: https://waterdata.usgs.gov/nwis/uv?

Page Contact Information: <u>California Water Data Support Team</u> Page Last Modified: 2021-07-15 11:53:30 EDT 2.13 1.81 vaww02




C .	2021-E0043 Recorded at the request of CITY OF FTT BRAGG 06/25/20 11:38 AM Fee: \$0 rys: 1 of 1	
	OFFICIAL RECORDS Katrina Bartolomie – Clerk-Recorder Mendocino County, CA	
Notice of Determination		
To: Office of Planning and Research U.S. Mail: Street Address: P.O. Box 3044 1400 Tenth St., Rm 113 Sacramento, CA 95812-3044 Sacramento, CA 95814 County Clerk County Clerk County of: Mendocino Address: 501 Low Gap Road Ukiah, CA 95482	From. Public Agency: City of Fort Bragg Address: 416 N. Franklin St. Fort Bragg, CA 95437 Contact: Heather Gurewitz Phone: 707-961-2827 X 118 Lead Agency (if different from above): Address:	
	Contact:	
SUBJECT: Filing of Notice of Determination in compli Resources Code.		
State Clearinghouse Number (if submitted to State Clearinghouse Number (if submitted to State Clearinghouse Number Creaser: Outlet Initial State	5. State 1.	
Project Title: Best Development Grocery Outlet Initial Stu	lay	
Project Applicant: BRR Architecture – Jenna Markley		
Project Applicant: <u>BRR Architecture – Jenna Markley</u> Project Location (include county): <u>825, 845, and 851, Sou</u> Project Description: Coastal Development Permit, Design Review, and Parcel 8-19; DR 1-19; MGR 1-19) to merge two adjacent parcels	I Merger (CDP	
Project Applicant: <u>BRR Architecture – Jenna Markley</u> Project Location (include county): <u>825, 845, and 851, Sou</u> Project Description: Coastal Development Permit, Design Review, and Parcel 8-19; DR 1-19; MGR 1-19) to merge two adjacent parcels a new 16,000 square foot Grocery Outlet.	I Merger (CDP s and construct has approved the above	
Project Applicant: BRR Architecture – Jenna Markley Project Location (include county): 825, 845, and 851, Sou Project Description: Coastal Development Permit, Design Review, and Parcel 8-19; DR 1-19; MGR 1-19) to merge two adjacent parcels a new 16,000 square foot Grocery Outlet. This is to advise that the City of Fort Bragg [Image: Lead Agency or Image: Review of the section	I Merger (CDP s and construct has approved the above esponsible Agency)	
Project Applicant: BRR Architecture – Jenna Markley Project Location (include county): 825, 845, and 851, Sou Project Description: Coastal Development Permit, Design Review, and Parcel 8-19; DR 1-19; MGR 1-19) to merge two adjacent parcels a new 16,000 square foot Grocery Outlet. This is to advise that the City of Fort Bragg [Image: Lead Agency or Image: Review of the section	I Merger (CDP s and construct has approved the above	
Project Applicant: BRR Architecture – Jenna Markley Project Location (include county): 825, 845, and 851, Sou Project Description: Coastal Development Permit, Design Review, and Parcel 8-19; DR 1-19; MGR 1-19) to merge two adjacent parcels a new 16,000 square foot Grocery Outlet. This is to advise that the City of Fort Bragg (I Lead Agency or I Red described project on June 9, 2021 (date) described project. 1. The project [□] will will not] have a significant effect	I Merger (CDP s and construct has approved the above esponsible Agency) te following determinations regarding the above	
Project Applicant: BRR Architecture – Jenna Markley Project Location (include county): 825, 845, and 851, Sou Project Description: Coastal Development Permit, Design Review, and Parcel 8-19; DR 1-19; MGR 1-19) to merge two adjacent parcels a new 16,000 square foot Grocery Outlet. This is to advise that the City of Fort Bragg (Image: Lead Agency or [Image: Agency	A Merger (CDP s and construct has approved the above esponsible Agency) te following determinations regarding the above t on the environment. his project pursuant to the provisions of CEQA. t pursuant to the provisions of CEQA. t pursuant to the provisions of CEQA. hdition of the approval of the project. as not] adopted for this project. was not] adopted for this project.	
Project Applicant: BRR Architecture – Jenna Markley Project Location (include county): 825, 845, and 851, Sou Project Description: Coastal Development Permit, Design Review, and Parcel 8-19; DR 1-19; MGR 1-19) to merge two adjacent parcels a new 16,000 square foot Grocery Outlet. This is to advise that the City of Fort Bragg (Image: Lead Agency or Image: Comparison of the comparis	A Merger (CDP s and construct has approved the above esponsible Agency) the following determinations regarding the above ton the environment. his project pursuant to the provisions of CEQA. to the provisions of CEQA. hdition of the approval of the project. as not] adopted for this project. was not] adopted for this project. borovisions of CEQA.	
Project Applicant: BRR Architecture – Jenna Markley Project Location (include county): 825, 845, and 851, Sou Project Description: Coastal Development Permit, Design Review, and Parcel 8-19; DR 1-19; MGR 1-19) to merge two adjacent parcels a new 16,000 square foot Grocery Outlet. This is to advise that the City of Fort Bragg (Image: Lead Agency or [Image: Review] Review] described project on June 9, 2021 and has made the (date) described project. 1. The project [Image: Review] 1. The project [Image: Review] mail moth have a significant effect 2. An Environmental Impact Report was prepared for the project 3. Mitigation measures [Image: Review] 3. Mitigation measures [Image: Review] were not] made a cord 4. A mitigation reporting or monitoring plan [Image: Review] was Image: Review] 5. A statement of Overriding Considerations [Image: Review] was Image: Review] This is to certify that the final EIR with comments and responsed to the general Public at the second publi	A Merger (CDP s and construct has approved the above esponsible Agency) the following determinations regarding the above ton the environment. his project pursuant to the provisions of CEQA. to the provisions of CEQA. hdition of the approval of the project. as not] adopted for this project. was not] adopted for this project. borovisions of CEQA.	

POSTED FROM alest TO 7/20/21

Discharge, cubic feet per second Most recent instantaneous value: 0.13 07-

18-2021 07:15 PDT



📥 Median daily statistic (69 years) — Discharge